

Share your block!

#2025yearofsewingmachinesbom



### Basic Instructions:

1. Read all instructions before you begin.
2. Use a scant 1/4" seam unless otherwise noted.
3. Cutting Instructions for individual blocks can be found under each block in the pattern.
4. Check [www.mysewquiltylife.com](http://www.mysewquiltylife.com) for pattern correction updates under the "Support" > "Pattern Corrections" tab. If you purchased your pattern after the correction date listed on the website, your pattern has already been updated.
5. The black arrows represent the pressing direction ( → ).
6. The black arrows with a number represent sewing order and pressing direction. ( ←1 ).
7. The colors represented in the diagrams may not always represent fabric color.
8. Dashed lines on the diagrams represent where to stitch.

### Fabric Requirements

Color	Amount	Color	Amount
Background (White)	1/4 yard	Dark Blue	1 - 10" square
Low Volume	1 - 10" square	Brown	1 - 10" square
Light Blue	1 - Fat Quarter	Grey	1 - 5" square
Blue	1 - 10" square		

The sample block was made using a variety of prints from Moda Fabrics.


Copyright 2025 @mysewquiltylife  
Duplication of any kind is prohibited.  
For personal use only.



Sew your way through 2025 with the cutest quilt yet!

Each month, collect adorable sewing machine-themed blocks to create a charming "Year of Sewing Machines" quilt. Whether you make just one block, a few, or the entire quilt, the possibilities are endless!

In November 2025, My Sew Quilty Life will release a free quilt setting pattern to help you turn your blocks into a beautiful finished quilt.




# January 2025 Block

#2025yearofsewingmachinesbom

Intentionally Left Blank

## January 6" Block



Unfinished Size: 6 1/2" x 6 1/2"

### Cutting Instructions for the Block:

One Block
Low Volume
A 1 - 2" x 2 1/4" rectangle
B 1 - 2" square
C 2 - 1 3/4" squares
D 3 - 1 1/4" squares
E 1 - 1 1/4" x 2" rectangle
F 1 - 1" square
Blue
G 1 - 2" x 4" rectangle
H 2 - 1 1/2" x 2" rectangles
I 8 - 1 1/2" squares
J 2 - 1 1/4" x 5" rectangles
K 2 - 1 1/4" x 2 1/2" rectangles
L 2 - 1" x 1 1/2" rectangles
Dark Blue
M 1 - 1 1/4" x 4 1/4" rectangle
Background: White
N 1 - 1 1/2" x 4" rectangle
O 1 - 1 1/2" x 3" rectangle
P 1 - 1 1/2" x 2" rectangle
Q 1 - 1" x 1 1/4" rectangle



### Piecing Instructions:

1. On the back of **Fabric B, C, F, (2) D** squares and **(6) I** squares, draw a diagonal line from corner to corner. You will use these marked pieces in the following steps.



2. With right sides together, place **(2)** marked **Fabric I** squares on the top corners of **(1) Fabric N** rectangle, **(1) Fabric O** rectangle, and **(1) Fabric P** rectangle according to the diagram. Sew on the diagonal lines. Trim 1/4" away from the sewn lines. Press.  
The **N Unit** should measure: 4" x 1 1/2".  
The **O Unit** should measure: 3" x 1 1/2".  
The **P Unit** should measure: 2" x 1 1/2".



**N Unit**  
Make one.




**O Unit**  
Make one.





**P Unit**  
Make one.

3. Assemble **(2) Fabric H** rectangles and **(1) P Unit** according to the diagram. Press. The **H Unit** should measure: 5" x 1 1/2".



**H Unit**  
Make one.

4. Assemble **(2) unmarked Fabric I** squares and **(1) O Unit** according to the diagram. Press. The **I Unit** should measure: 5" x 1 1/2".




**I Unit**  
Make one.

5. Assemble **(2) Fabric L** rectangles and **(1) N Unit** according to the diagram. Press. The **L Unit** should measure: 5" x 1 1/2".







**L Unit**  
Make one.

6. Assemble **(2) Fabric K** rectangles and **(1) Fabric Q** rectangle according to the diagram. Press. The **Q Unit** should measure: 5" x 1 1/4".




**Q Unit**  
Make one.

7. Assemble **(2) Fabric J** rectangles, **(1) H Unit**, **(1) I Unit**, **(1) L Unit**, and **(1) Q Unit** according to the diagram. Press. The **Tree Unit** should measure: 5" x 5 3/4".




**Tree Unit**  
Make one.


8. With right sides together, place (2) marked **Fabric C** squares on the top corners and (1) marked **Fabric D** square on the bottom right corner of (1) **Tree Unit** according to the diagram. Sew on the diagonal lines. Trim  $\frac{1}{4}$ " away from the sewn lines. Press. The **Tree Unit** should measure:  $5" \times 5 \frac{3}{4}"$ .



9. With right sides together, place (1) marked **Fabric B** square on the bottom left corner, (1) marked **Fabric D** square on the top right corner, and (1) marked **Fabric F** square on the top left corner of (1) **Fabric G** rectangle according to the diagram. Sew on the diagonal lines. Trim  $\frac{1}{4}$ " away from the sewn lines. Press. The **G Unit** should measure:  $2" \times 4"$ .




10. Assemble (1) **Fabric A** rectangle and (1) **G Unit** according to the diagram. Press. The **Thumb Unit** should measure:  $2" \times 5 \frac{3}{4}"$ .




11. Assemble (1) unmarked **Fabric D** square, (1) **Fabric E** rectangle, and (1) **Fabric M** rectangle according to the diagram. Press. The **M Unit** should measure:  $6 \frac{1}{2}" \times 1 \frac{1}{4}"$ .



12. Assemble (1) **Tree Unit**, (1) **M Unit**, and (1) **Thumb Unit** according to the diagram. Press. The **Mitten Unit** should measure:  $6 \frac{1}{2}" \times 6 \frac{1}{2}"$ .



## January Sewing Machine Block



Unfinished Size: 16 1/2" x 16 1/2"

### Cutting Instructions for the Block:

One Block	
Background: White	
A	1 - 5 1/2" square
B	1 - 2 1/2" x 8 1/2" rectangle
C	3 - 2 1/2" squares
D	2 - 2 1/4" x 3" rectangles
E	1 - 2" x 9 1/2" rectangle
F	1 - 2" x 6 1/2" rectangle
G	1 - 2" x 2 1/2" rectangle
H	2 - 2" squares
I	1 - 1 1/2" x 16 1/2" rectangle
J	1 - 1 1/2" x 9 1/2" rectangle
K	2 - 1 1/2" x 3" rectangles
L	8 - 1 1/2" squares
M	1 - 1 1/4" x 4" rectangle
N	1 - 1 1/4" x 3" rectangle
O	2 - 1 1/4" squares
P	1 - 3/4" x 1" rectangle
Light Blue	
Q	1 - 3 1/2" x 7" rectangle
R	1 - 3" x 7 1/2" rectangle
S	1 - 3" x 5 1/2" rectangle
T	2 - 2" x 2 1/2" rectangle
U	2 - 1 1/2" x 8" rectangles
V	1 - 1 1/2" x 3" rectangle
W	3 - 1 1/2" squares
X	8 - 1 1/4" squares
Y	1 - 1" x 2 1/2" rectangle


One Block	
Dark Blue	
Z	1 - 1 1/2" x 2" rectangle
AA	1 - 1 1/4" x 7" rectangle
BB	1 - 1 1/4" x 3 1/2" rectangle
Brown	
CC	2 - 2" x 4 1/2" rectangles
DD	1 - 2" x 2 1/2" rectangle
Grey	
EE	1 - 3/4" x 2 1/2" rectangle

1 - January 6" Block

### Piecing Instructions:


1. On the back of **Fabric H**, **L**, **O**, **W**, and **X** squares, draw a diagonal line from corner to corner. You will use these marked pieces in the following steps.

2. With right sides together, place (4) marked **Fabric X** squares on the corners of (1) **Fabric C** square according to the diagram below. Sew on the diagonal lines. Trim 1/4" away from the sewn lines. Press. The **C Unit** should measure: 2 1/2" x 2 1/2".




**C Unit**  
Make two.

3. Assemble (2) **Fabric T** rectangles, (2) **Fabric U** rectangles, (1) **Fabric Y** rectangle, and (2) **C Units** according to the diagram. Press. The **Dial Unit** should measure: 4 1/2" x 8".




**Dial Unit**  
Make one.

4. With right sides together, place (1) marked **Fabric L** square on the top right corner of (1) **Dial Unit** according to the diagram below. Sew on the diagonal line. Trim 1/4" away from the sewn line. Press. The **Dial Unit** should measure: 4 1/2" x 8".




**Dial Unit**  
Make one.

5. With right sides together, place (3) marked **Fabric W** squares on the corners of (1) **Fabric A** square according to the diagram below. Sew on the diagonal lines. Trim 1/4" away from the sewn lines. Press. The **A Unit** should measure: 5 1/2" x 5 1/2".




**A Unit**  
Make one.


6. Assemble (1) **Fabric S** rectangle and (1) **A Unit** according to the diagram. Press. The **Throat Unit** should measure: 5 1/2" x 8".




7. Assemble (1) **Fabric J** rectangle, (1) **Fabric M** rectangle, (1) **Fabric N** rectangle, and (1) **Fabric BB** according to the diagram. Press. The **Side Unit** should measure: 2 1/4" x 9 1/2".




8. Assemble (1) **Fabric F** rectangle, (1) **Fabric G** rectangle, and (1) **Fabric Z** according to the diagram. Press. The **Spool Unit** should measure: 9 1/2" x 2".




9. Assemble (1) **Dial Unit**, (1) **Throat Unit**, (1) **Side Unit**, and (1) **Spool Unit** according to the diagram. Press. The **Right Unit** should measure: 11 1/4" x 9 1/2".




10. Assemble (1) **Fabric Q** rectangle and (1) **Fabric AA** according to the diagram. Press. The **Q Unit** should measure: 4 1/4" x 7".




11. With right sides together, place (2) marked **Fabric H** squares on the top corners and (2) marked **Fabric L** squares on the bottom corners of (1) **Q Unit** according to the diagram below. Sew on the diagonal lines. Trim 1/4" away from the sewn lines. Press. The **Q Unit** should measure: 4 1/4" x 7".




12. Assemble (2) **Fabric D** rectangles, (1) **Fabric P** rectangle, and (1) **Fabric EE** rectangle according to the diagram. Press. The **Needle Unit** should measure: 4 1/4" x 3".




13. Assemble (1) **Fabric E** rectangle, (1) **Q Unit**, and (1) **Needle Unit** according to the diagram. Press. The **Left Unit** should measure: 5 3/4" x 9 1/2".




14. With right sides together, place (1) marked **Fabric O** square on the corner of (1) **Fabric R** rectangle and (1) **Fabric V** rectangle according to the diagram. Sew on the diagonal lines. Trim 1/4" away from the sewn lines. Press. The **R Unit** should measure: 7 1/2" x 3". The **V Unit** should measure: 1 1/2" x 3".




15. Assemble (1) **Fabric K** rectangle and (1) **V Unit** according to the diagram. Press. The **V Unit** should measure: 2 1/2" x 3".




16. Assemble (1) **Fabric K** rectangle and (1) **R Unit** according to the diagram. Press. The **R Unit** should measure: 8 1/2" x 3".




17. With right sides together, place (2) marked **Fabric L** squares on the bottom corners of (1) **Fabric CC** rectangle according to the diagram below. Sew on the diagonal lines. Trim 1/4" away from the sewn lines. Press. The **CC Unit** should measure: 4 1/2" x 2".




18. With right sides together, place (1) marked **Fabric L** square on the corner of (1) **Fabric DD** rectangle according to the diagram below. Sew on the diagonal line. Trim  $\frac{1}{4}$ " away from the sewn line. Press. The **DD Unit** should measure:  $2\frac{1}{2}$ " x  $2$ ".





19. Assemble (1) **Fabric C** square and (1) **DD Unit** according to the diagram. Press. The **DD Unit** should measure:  $2\frac{1}{2}$ " x  $4$ ".





20. Assemble (1) **Fabric B** rectangle and (2) **CC Units** according to the diagram. Press. The **CC Unit** should measure:  $8\frac{1}{2}$ " x  $4$ ".



21. Assemble (1) **6" Block**, (1) **R Unit**, (1) **V Unit**, (1) **CC Unit**, and (1) **DD Unit** according to the diagram. Press. The **Bottom Unit** should measure:  $16\frac{1}{2}$ " x  $6\frac{1}{2}$ ".



22. Assemble (1) **Fabric I** rectangle, (1) **Left Unit**, (1) **Right Unit**, and (1) **Bottom Unit** according to the diagram. Press. The **January Sewing Machine Block** should measure:  $16\frac{1}{2}$ " x  $16\frac{1}{2}$ ".



## You're All Done!

Share your January Block on social media using #2025yearofsewingmachinesbom

Get ready for a year full of creativity and charm—this is just the beginning! Each month brings a new, adorable sewing machine block that's sure to keep you inspired and excited to sew along!

